

CLASSIFICATION: 09 65 16.23 VINYL SHEET FLOORING

PRODUCT DESCRIPTION: TEKNOFLOR® Medscapes HPD™ v2 homogeneous sheet vinyl brings a new sense of beauty and performance and a true through-pattern construction to the TEKNOFLOR brand of commercial sheet flooring. Carrying the brand’s trademark, no wax, no buff features, Medscapes HPD v2 is made of 100% virgin vinyl, phthalate-free, and stands tough against stains, scratches, and chemicals. This second version of Medscapes HPD brings a cleaner, less dramatic chip design and more durable construction. Whether you’re focused on infection control or color control – this vibrant, tough line is sure to suit your needs.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

TEKNOFLOR® MEDSCAPES HPD™ V2 [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES LIMESTONE, CALCIUM CARBONATE LT-UNK | BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg | TITANIUM DIOXIDE LT-1 | CAN | END EPOXIDIZED LINSEED OIL NoGS | FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED NoGS | EPOXIDIZED SOYBEAN OIL LT-P1 | CALCIUM STEARATE LT-UNK | ALKYL(C10-C13)BENZENE LT-UNK | FATTY ACIDS, C14-18 AND C16-18-UNSATD., BARIUM SALTS NoGS | BARIUM NEODECANOATE LT-P1 | MUL HEXANEDIOIC ACID, POLYMER WITH 2,2-BIS(HYDROXYMETHYL)-1,3-PROPANEDIOL, OCTADECANOATE LT-UNK | FERRIC OXIDE YELLOW (C.I. PIGMENT YELLOW 42) LT-UNK | IRON OXIDE LT-UNK | C.I. PIGMENT BLUE 15 BM-3 | CARBON BLACK BM-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-02

PUBLISHED DATE: 2020-04-02

EXPIRY DATE: 2023-04-02





# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

## TEKNOFLOR® MEDSCAPES HPD™ V2

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While TEKNOFLOR® Medscapes HPD™ v2 does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices , we have: 1) disclosed all known, intentionally-added ingredients; 2) tested Medscapes HPD v2 to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of TEKNOFLOR® Medscapes HPD™ v2 are disclosed in this HPD.

### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

#: 43.00 - 44.00

GS: LT-P1

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

### LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

#: 35.00 - 36.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

%: 14.30 - 15.20

GS: BM-3dg

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

**TITANIUM DIOXIDE**

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

%: 1.00 - 2.00

GS: LT-1

RC: None

NANO: No

ROLE: Pigment

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. TEKNOFLOR Medscapes HPD v2 has been tested for both safety and performance in accordance with industry standards, as detailed in the Product Data Sheet available at teknoflor.com.

**EPOXIDIZED LINSEED OIL**

ID: 8016-11-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

%: 0.30 - 1.00

GS: NoGS

RC: None

NANO: No

ROLE: Plasticizer / Co-Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**FATTY ACIDS, C14-22, 2-ETHYLHEXYL ESTERS, EPOXIDIZED**

ID: 95370-96-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-02

%: 0.30 - 1.00

GS: NoGS

RC: None

NANO: No

ROLE: Plasticizer / Co-Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

### EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-02		
#: 0.30 - 1.00	GS: LT-P1	RC: None	NANO: No	ROLE: Plasticizer / Co-Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

### CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-02		
#: 0.30 - 0.40	GS: LT-UNK	RC: None	NANO: No	ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

### ALKYL(C10-C13)BENZENE

ID: 67774-74-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-02		
#: 0.20 - 0.30	GS: LT-UNK	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

### FATTY ACIDS, C14-18 AND C16-18-UNSATD., BARIUM SALTS

ID: 95465-85-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-02		
#: 0.20 - 0.30	GS: NoGS	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

## BARIUM NEODECANOATE

ID: 55172-98-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-02**

#: **0.20 - 0.30** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**MULTIPLE**

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

## HEXANEDIOIC ACID, POLYMER WITH 2,2-BIS(HYDROXYMETHYL)-1,3-PROPANEDIOL, OCTADECANOATE

ID: 68130-34-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-02**

#: **0.20 - 0.30** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

## FERRIC OXIDE YELLOW (C.I. PIGMENT YELLOW 42)

ID: 51274-00-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-02**

#: **0.10 - 0.30** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

## IRON OXIDE

ID: 1332-37-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-02**

#: **0.10 - 0.30** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES:

**C.I. PIGMENT BLUE 15**

ID: 147-14-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-02**%: **0.10 - 0.30**GS: **BM-3**RC: **None**NANO: **No**ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**CARBON BLACK**

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-02**%: **0.10 - 0.30**GS: **BM-1**RC: **None**NANO: **No**ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The hazard(s) listed are in consideration of this substance in its natural and/or unbound state and not as part of the finished product. TEKNOFLOR Medscapes HPD v2 has been tested for both safety and performance in accordance with industry standards, as detailed in the Product Data Sheet available at [teknoflor.com](http://teknoflor.com).

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/Teknoflor\\_2019\\_SCS-FS-04567\\_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Teknoflor_2019_SCS-FS-04567_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES:

### RFCI FloorScore

ISSUE DATE:

2020-03-01

EXPIRY DATE:

2020-11-30

CERTIFIER OR LAB:

**SCS Global Services**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### TEK ONE - TRANSITIONAL PRESSURE SENSITIVE ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

This is one of two adhesives recommended for use in the installation of TEKNOFLOR Medscapes HPD v2. Refer to the installation & maintenance document for TEKNOFLOR Medscapes HPD v2 for more details.

### TEK FIVE - MODIFIED SILANE ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

This is one of two adhesives recommended for use in the installation of TEKNOFLOR Medscapes HPD v2. Refer to the installation & maintenance document for TEKNOFLOR Medscapes HPD v2 for more details.

## Section 5: General Notes

To preserve manufacturers full warranty, the use of recommended adhesives noted above is required. Additional information available upon request.



**MANUFACTURER INFORMATION**

---

MANUFACTURER: **TEKNOFLOR®**ADDRESS: **1005 South 60th Street  
Milwaukee WI 53214, USA**WEBSITE: **www.teknoflor.com**CONTACT NAME: **Arthur Clarke**TITLE: **Director of Sustainability**PHONE: **(203) 299-3113**EMAIL: **ac@hmtx.global****KEY**

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet**Hazard Types****AQU** Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PBT** Persistent Bioaccumulative Toxic**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity**NF** Not found on Priority Hazard Lists**GreenScreen (GS)****BM-4** Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement)**BM-2** Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**LT-P1** List Translator Possible Benchmark 1**LT-1** List Translator Likely Benchmark 1**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)**NoGS** Unknown (no data on List Translator Lists)**Recycled Types****PreC** Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content**Other Terms****Inventory Methods:****Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product**Nano** Composed of nano scale particles or nanotechnology**Third Party Verified** Verification by independent certifier approved by HPDC**Preparer** Third party preparer, if not self-prepared by manufacturer**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*